

## Fully Automatic Multimode Electronic Charger

Intelligent chargers follow battery impedance to end of charge cycle for all battery types. Fully automatic.

- Charge control: constant current charge to a constant voltage then to a float standby.
- Current Limiting.
- Fully automatic 3 stage charger can be left on the battery in maintaining/float mode.
- Can be set for any type lead acid battery, including conventional, maintenance free, deep cycle, gelled-type, valve regulated batteries.
- Cyclic Voltage: 2.5 volts/cell for 24 volt batteries; 2.6 volts/cell for 36 & 48 volt batteries. May be preset to customer's specification for battery type.
- **Continuous - 100% duty cycle.**
- Low voltage start: will start charging a deeply discharged battery with terminal voltage less than 4 volts.
- Reverse polarity and short circuit proof.
- Aluminum case.



AC Input 115/230 volts, 50 or 60Hz  
 Input voltage autosensed

Green LED indicates AC POWER ON,  
 Yellow LED indicates battery is charging,  
 Yellow LED off indicates float mode.



JAC2024M	20 AMPS	24 VOLTS	11 x 7.5 x 3"	6.5 lbs.
JAC2036M	20 AMPS	36 VOLTS	11 x 7.5 x 6.5"	11 lbs.
JAC1548M	15 AMPS	48 VOLTS	11 x 7.5 x 6.5"	11 lbs.

*NOTE: Specify DC connector with order.  
 Chargers available for other currents and voltages, contact factory.*